Author Index

Andrzejczak, J., see Paczkowski, D. 573(1992)235

Anliker, S. L., Hamilton, M., Bopp, R. J. and Goldberg, M. J.
Sensitive method for the quantitation of nortriptyline and 10-hydroxynortriptyline in human plasma by capillary gas chromatography with electron-capture detection 573(1992)141

Antoniewicz, S. M., Cook, J. A. and Brown, R. R.
Determination of cicletanine in human plasma by high-performance liquid chromatography using automated column switching 573(1992)93

Aoki, T., see Ueno, R. 573(1992)333

Astier, A.
Simultaneous high-performance liquid chromatographic determination of urinary metabolites of benzene, nitrobenzene, toluene, xylene and styrene 573(1992)318

Baker, G. B., see Paetsch, P. R. 573(1992)313

Barberi-Heyob, M., Merlin, J. L. and Weber, B.
Determination of 5-fluorouracil and its main metabolites in plasma by high-performance liquid chromatography 573(1992)247

Barbier, B., see Jaussaud, P. 573(1992)136

Baselier, M. R. P., see Van Tellingen, O. 573(1992)328

Beaumier, P., see Matassa, L. C. 573(1992)43

Becker, R. E., see Unni, L. K. 573(1992)99

Becker, R. E., see Unni, L. K. 573(1992)275

Beijnen, J. H., see Van Tellingen, O. 573(1992)328

Belliardo, F., see Lucarelli, C. 573(1992)150

Bennett, J. L., McMillan, J. and Dimitrov, N. V.
High-performance liquid chromatographic method for the analysis of Oltipraz in human serum and urine 573(1992)146

Bevan, D. R., see Ducharme, J. 573(1992)79

Bolelli, G. F., see Pellegatti, M. 573(1992)105

Bonnaire, Y., see Jaussaud, P. 573(1992)136

Bopp, R. J., see Anliker, S. L. 573(1992)141

Braggio, S., see Pellegatti, M. 573(1992)105

Brambilla, P., see Magni, F. 573(1992)127

Brearley, G. M., see Scott, D. A. 573(1992)309

Breimer, D. D., see Venizelos, V. 573(1992)259

Bresson, M., see Rop, P. P. 573(1992)87

Broccali, G., see Dal Bo, L. 573(1992)158

Brown, R. R., see Antoniewicz, S. M. 573(1992)93

Brune, K., see Geisslinger, G. 573(1992)163

Brunmark, P., Skarping, G. and Schütz, A.
Determination of methylmercury in human blood using capillary gas chromatography and selected-ion monitoring 573(1992)35

Bruno, G., see Lucarelli, C. 573(1992)150

Burghouts, J. T. M., see Van Tellingen, O. 573(1992)328

Caffaro, L. E., see Paetsch, P. R. 573(1992)313

Campestrini, J., see Rouan, M. C. 573(1992)59

Campestrini, J., see Rouan, M. C. 573(1992)65

Carpenter, A. and Purdy, W. C.
Preparation of heparin-glyceryl controlled-pore glass affinity media for the separation of α- and β-lipoproteins 573(1992)132

Ceriani, G., see Dal Bo, L. 573(1992)158

Clark, L. A., Wichmann, J. K., Kucharczyk, N. and Sofia, R. D.
Determination of the anticonvulsant felbamate in beagle dog plasma by high-performance liquid chromatography 573(1992)113

Cook, J. A., see Antoniewicz, S. M. 573(1992)93

Courtot, D., see Jaussaud, P. 573(1992)136

Coutts, R. T., see Paetsch, P. R. 573(1992)313

Curtis, M. A., see Pullen, R. H. 573(1992)49

Dal Bo, L., Ceriani, G. and Broccali, G.
Determination of vincamine in human plasma by high-performance liquid chromatography with ultraviolet detection 573(1992)158

Damani, L. A., see Epemolu, R. O. 573(1992)178

Dimitrov, N. V., see Bennett, J. L. 573(1992)146

Donati, F., see Ducharme, J. 573(1992)79

Ducharme, J., Varin, F., Bevan, D. R., Donati, F. and Théorêt, Y.
High-performance liquid chromatography–electrochemical detection of vecuronium and its metabolites in human plasma 573(1992)79

Ebenstein, D. B., see Quinn Baumann, P. 573(1992)11

Epemolu, R. O., Singh, S., Hider, R. C. and Damani, L. A.
High-performance liquid chromatographic determination of 1,2-diethyl-3-hydroxypyridin-4-one and its 2-(1-hydroxyethyl) metabolite in rat blood 573(1992)178

Esteban, A., Graells, M., Satorre, J. and Pérez-Mateo, M.
Determination of paracetamol and its four major metabolites in mouse plasma by reversed-phase ion-pair high-performance liquid chromatography 573(1992)121

Filipek, M., see Paczkowski, D. 573(1992)235

Fiorelli, G., see Pittalis, S. 573(1992)29

Firby, P., see Matassa, L. C. 573(1992)43

Forrow, S., see Preece, N. E. 573(1992)227

Franceschetti, F., see Pellegatti, M. 573(1992)105

Furtek, C. I. and Lo, M.-W.
Simultaneous determination of a novel angiotensin II receptor blocking agent, losartan, and its metabolite in human plasma and urine by high-performance liquid chromatography 573(1992)295

Gabrielsson, J., see Hellenäs, K.-E. 573(1992)69

Gabrielsson, M., Hoffmann, K.-J. and Regårdh, C. G.
Determination of four carboxylic acid metabolites of felodipine in plasma by high-performance liquid chromatography 573(1992)265

Galli Kienle, M., see Magni, F. 573(1992)127

Geisslinger, G., Menzel-Soglowek, S., Schuster, O. and Brune, K.
Stereoselective high-performance liquid chromatographic determination of flurbiprofen in human plasma 573(1992)163

Ghatineh, S., see Preece, N. E. 573(1992)227

Godbillon, J., see Rouan, M. C. 573(1992)59

Godbillon, J., see Rouan, M. C. 573(1992)65

Goldberg, M. J., see Anliker, S. L. 573(1992)141

Graells, M., see Esteban, A. 573(1992)121

Greenshaw, A. J., see Paetsch, P. R. 573(1992)313

Grimaldi, F., see Rop, P. P. 573(1992)87
Guieu, D., see Jaussaud, P. 573(1992)136
Hadjimichael, J., see Spiegel, L. B. 573(1992)23
Hamilton, M., see Anliker, S. L. 573(1992)141
Hammond, P. M., see Scott, D. A. 573(1992)309
Hannant, M. E., see Unni, L. K. 573(1992)99
Hellenäs, K.-E., Nyman, A., Slanina, P., Lööf, L. and Gabrielsson, J.
Determination of potato glycoalkaloids and their aglycone in blood serum by high-performance liquid chromatography. Application to pharmacokinetic studies in humans 573(1992)69
Hider, R. C., see Epemolu, R. O. 573(1992)178
Hoffmann, K.-J., see Gabrielsson, M. 573(1992)265
Hoppel, C. L., see Krahenbuhl, S. 573(1992)3
Imbimbo, B. P., see Vree, T. B. 573(1992)168
Iredale, J. and Wainer, I. W.
Determination of hydroxychloroquine and its major metabolites in plasma using sequential achiral–chiral high-performance liquid chromatography 573(1992)253
Irth, H., see Venizelos, V. 573(1992)259
Janero, D. R., Yarwood, C. and Thakkar, J. K.
Application of solid-phase extraction on anion-exchange cartridges to quantify 5′-nucleotidase activity 573(1992)207
Jaussaud, P., Guieu, D., Courtot, D., Barbier, B. and Bonnaire, Y.
Identification of a tolfenamic acid metabolite in the horse by gas chromatography–mass spectrometry 573(1992)136
Johansen, M., Tønnesen, F. and Rasmussen, K. E.
Column-switching high-performance liquid chromatographic detection of pholcodine and its metabolites in urine with fluorescence and electrochemical detection 573(1992)283
Johnston, G. A. R., see Yap, B. K. 573(1992)183
Jönsson, J. Å., see Lindegård, B. 573(1992)191Kaplan, B., Pras, M. and Ravid, M.
Isolation and purification of amyloid protein A by sodium dodecyl sulphate polyacrylamide gel electrophoresis and reversed-phase high-performance liquid chromatography 573(1992)17
Kazlauskas, R., see Yap, B. K. 573(1992)183
Krahenbuhl, S., Minkler, P. E. and Hoppel, C. L.
Derivatization of isolated endogenous butyrobetaine with 4′-bromophenacyl trifluoromethanesulfonate followed by high-performance liquid chromatography 573(1992)3
Kraus, G., Schulz, H.-U. and Lohmann, A.
Determination of apovincaminic acid in serum by means of high-performance liquid chromatography 573(1992)323
Krause, W. and Kühne, G.
High-performance liquid chromatographic procedure for specificity testing of radioimmunoassays: rolipram 573(1992)303
Kucharczyk, N., see Clark, L. A. 573(1992)113
Kudo, M., see Ohkubo, T. 573(1992)289
Kühne, G., see Krause, W. 573(1992)303
Kuijpers, A., see Van Tellingen, O. 573(1992)328
Langley, G. J., see Preece, N. E. 573(1992)227
La Rosa, C., see Lucarelli, C. 573(1992)150
Leavitt, R. K., see Matassa, L. C. 573(1992)43
Lecaillon, J. B., see Rouan, M. C. 573(1992)59
Lecaillon, J. B., see Rouan, M. C. 573(1992)65
Le Clanche, V., see Rouan, M. C. 573(1992)65
Le Duigou, F., see Rouan, M. C. 573(1992)59
Lindegård, B., Jönsson, J. Å. and Mathiasson, L.
Liquid membrane work-up of blood plasma samples applied to gas chromatographic determination of aliphatic amines 573(1992)191
Lo, M.-W., see Furtek, C. I. 573(1992)295
Lohmann, A., see Kraus, G. 573(1992)323
Lööf, L., see Hellenäs, K.-E. 573(1992)69
Lucarelli, C., Pelloso, R., Bruno, G., La Rosa, C. and Belliardo, F.
Evaluation of 2-(2-thiophenecarboxy)benzoic acid and related active metabolites in biological samples 573(1992)150
Magni, F., Monti, L., Brambilla, P., Poma, R., Pozza, G. and Galli Kienle, M.
Determination of plasma [6,6-$^2H_2$]glucose enrichment by a simple and accurate gas chromatographic–mass spectrometric method 573(1992)127
Martinez di Montemuros, F., see Pittalis, S. 573(1992)29
Matassa, L. C., Woodard, D., Leavitt, R. K., Firby, P. and Beaumier, P.
Solid-phase extraction techniques for the determination of glycopyrrolate from equine urine by liquid chromatography–tandem mass spectrometry and gas chromatography–mass spectrometry 573(1992)43
Mathiasson, L., see Lindegård, B. 573(1992)191
Matsushima, E. and Sato, T.
Determination of bisaramil and its metabolite in plasma using high-performance liquid chromatography with electrochemical detection 573(1992)339
McMillan, J., see Bennett, J. L. 573(1992)146
Menzel-Soglowek, S., see Geisslinger, G. 573(1992)163
Merlin, J. L., see Barberi-Heyob, M. 573(1992)247
Mielniczuk, Z., see Paczkowski, D. 573(1992)235
Minkler, P. E., see Krahenbuhl, S. 573(1992)3
Monti, L., see Magni, F. 573(1992)127
Mulder, G. J., see Venizelos, V. 573(1992)259
Mulders, T. M. T., see Venizelos, V. 573(1992)259
Murano, M., see Noguchi, H. 573(1992)336
Nakajima, M., see Wakabayashi, H. 573(1992)154
Naruto, S., see Noguchi, H. 573(1992)336
Nielsen, E., see Vidal, P. 573(1992)201
Noguchi, H., Yoshida, K., Murano, M. and Naruto, S.
Determination of nadolol in serum by high-performance liquid chromatography with fluorimetric detection 573(1992)336
Nooyen, W. J., see Van Tellingen, O. 573(1992)328
Nyman, A., see Hellenäs, K.-E. 573(1992)69
Ohkubo, T., Kudo, M. and Sugawara, K.
Determination of ofloxacin in human serum by high-performance liquid chromatography with column switching 573(1992)289
O'Rourke, B. D., see Quinn Baumann, P. 573(1992)11
Paczkowski, D., Filipek, M., Mielniczuk, Z., Andrzejczak, J., Popławska, W. and Sitkiewicz, D.
Simultaneous determination of mexiletine and four hydroxylated metabolites in human serum by high-performance liquid chromatography and its application to pharmacokinetic studies 573(1992)235
Paetsch, P. R., Baker, G. B., Caffaro, L. E., Greenshaw, A. J., Rauw, G. A. and Coutts, R. T.
Electron-capture gas chromatographic procedure for simultaneous determination of amphetamine and N-methylamphetamine 573(1992)313
Palermo, K. M., see Pullen, R. H. 573(1992)49
Peeters, A., see Vree, T. B. 573(1992)168

Pellegatti, M., Braggio, S., Sartori, S., Franceschetti, F. and Bolelli, G. F.
Validation of a high-performance liquid chromatographic–radioimmunoassay method for the determination of lacidipine in plasma 573(1992)105
Pelloso, R., see Lucarelli, C. 573(1992)150
Pérez-Mateo, M., see Esteban, A. 573(1992)121
Pittalis, S., Martinez di Montemuros, F., Tavazzi, D. and Fiorelli, G.
Rapid isolation of glucose-6-phosphate dehydrogenase from human erythrocytes by combined affinity and anion-exchange chromatography for biochemical characterization of variants 573(1992)29
Poma, R., see Magni, F. 573(1992)127
Popławska, W., see Paczkowski, D. 573(1992)235
Pozza, G., see Magni, F. 573(1992)127
Pras, M., see Kaplan, B. 573(1992)17
Preece, N. E., Forrow, S., Ghatineh, S., Langley, G. J. and Timbrell, J. A.
Determination of hydrazine in biofluids by capillary gas chromatography with nitrogen-sensitive or mass spectrometric detection 573(1992)227
Price, C. P., see Scott, D. A. 573(1992)309
Pullen, R. H., Palermo, K. M. and Curtis, M. A.
Determination of an antipsychotic agent (ICI 204,636) and its 7-hydroxy metabolite in human plasma by high-performance liquid chromatography and gas chromatography–mass spectrometry 573(1992)49
Purdy, W. C., see Carpenter, A. 573(1992)132
Quicke, J., see Rop, P. P. 573(1992)87
Quinn Baumann, P., Ebenstein, D. B., O'Rourke, B. D. and Sreekumaran Nair, K.
High-performance liquid chromatographic technique for non-derivatized leucine purification: evidence for carbon isotope fractionation 573(1992)11
Rasmussen, K. E., see Johansen, M. 573(1992)283
Rauw, G. A., see Paetsch, P. R. 573(1992)313
Ravid, M., see Kaplan, B. 573(1992)17
Regårdh, C. G., see Gabrielsson, M. 573(1992)265
Róna, K. and Szabó, I.
Determination of mephenytoin stereoselective oxidative metabolism in urine by chiral liquid chromatography employing β-cyclodextrin as a mobile phase additive 573(1992)173
Rop, P. P., Grimaldi, F., Bresson, M., Spinazzola, J., Quicke, J. and Viala, A.
Determination of dextromoramide in plasma and whole blood using high-performance liquid chromatography with ultraviolet absorbance detection 573(1992)87
Rossomando, E. F., see Spiegel, L. B. 573(1992)23
Rouan, M. C., Campestrini, J., Le Clanche, V., Lecaillon, J. B. and Godbillon, J.
Automated microanalysis of carbamazepine and its epoxide and *trans*-diol metabolites in plasma by column liquid chromatography 573(1992)65
Rouan, M. C., Le Duigou, F., Campestrini, J., Lecaillon, J. B. and Godbillon, J.
Fast liquid chromatography for the determination of drugs in plasma and combination with liquid–solid extraction in a fully automated system 573(1992)59
Saria, A.
Identification of α- and β-species of calcitonin gene-related peptide in the rat amygdala after separation with capillary zone electrophoresis 573(1992)219
Sartori, S., see Pellegatti, M. 573(1992)105
Sato, T., see Matsushima, E. 573(1992)339
Satorre, J., see Esteban, A. 573(1992)121
Schulz, H.-U., see Kraus, G. 573(1992)323
Schuster, O., see Geisslinger, G. 573(1992)163
Schütz, A., see Brunmark, P. 573(1992)35
Scott, D. A., Hammond, P. M., Brearley, G. M. and Price, C. P.
Identification by high-performance liquid chromatography of tyrosine ammonia-lyase activity in purified fractions of *Phaseolus vulgaris* phenylalanine ammonia-lyase 573(1992)309
Shimada, K., see Wakabayashi, H. 573(1992)154
Singh, S., see Epemolu, R. O. 573(1992)178
Sitkiewicz, D., see Paczkowski, D. 573(1992)235
Skarping, G., see Brunmark, P. 573(1992)35
Slanina, P., see Hellenäs, K.-E. 573(1992)69
Sofia, R. D., see Clark, L. A. 573(1992)113
Spiegel, L. B., Hadjimichael, J. and Rossomando, E. F.
Assay of sialyltransferase activity by reversed-phase ion-pair high-performance liquid chromatography 573(1992)23
Spinazzola, J., see Rop, P. P. 573(1992)87
Sreekumaran Nair, K., see Quinn Baumann, P. 573(1992)11
Sugawara, K., see Ohkubo, T. 573(1992)289
Szabó, I., see Róna, K. 573(1992)173
Tavazzi, D., see Pittalis, S. 573(1992)29
Thakkar, J. K., see Janero, D. R. 573(1992)207
Théorêt, Y., see Ducharme, J. 573(1992)79
Timbrell, J. A., see Preece, N. E. 573(1992)227
Tjaden, U. R., see Venizelos, V. 573(1992)259
Tønnesen, F., see Johansen, M. 573(1992)283
Ueno, R., Uno, K. and Aoki, T.
Determination of oxytetracycline in blood serum by high-performance liquid chromatography with direct injection 573(1992)333
Unni, L. K. and Becker, R. E.
Determination of heptylphysostigmine in plasma by high-performance liquid chromatography with electrochemical detection 573(1992)275
Unni, L. K., Hannant, M. E. and Becker, R. E.
High-performance liquid chromatographic method using ultraviolet detection for measuring metrifonate and dichlorvos levels in human plasma 573(1992)99
Uno, K., see Ueno, R. 573(1992)333
Van den Biggelaar-Martea, M., see Vree, T. B. 573(1992)168
Van der Greef, J., see Venizelos, V. 573(1992)259
Van Tellingen, O., Kuijpers, A., Beijnen, J. H., Baselier, M. R. P., Burghouts, J. T. M. and Nooyen, W. J.
Bio-analysis of vinorelbine by high-performance liquid chromatography with fluorescence detection 573(1992)328
Varin, F., see Ducharme, J. 573(1992)79
Venizelos, V., Irth, H., Tjaden, U. R., Van der Greef, J., Breimer, D. D., Mulders, T. M. T. and Mulder, G. J.
Enantioselective determination of *R*- and *S*-(α-bromoisovaleryl)urea in plasma using high-performance liquid chromatography after solid-phase extraction 573(1992)259
Viala, A., see Rop, P. P. 573(1992)87
Vidal, P., Nielsen, E. and Welinder, B. S.
Effect of glycation on the heterogeneity of human serum albumin analysed by reversed-phase high-performance liquid chromatography in a solvent containing formic acid 573(1992)201

Vree, T. B., Van den Biggelaar-Martea, M., Peeters, A. and Imbimbo, B. P.
High-performance liquid chromatography and preliminary pharmacokinetics of rufloxacin and its metabolites, N-desmethylrufloxacin and rufloxacinsulfoxide, in urine of Rhesus monkey *Macaca mulatta* 573(1992)168
Wainer, I. W., see Iredale, J. 573(1992)253
Wakabayashi, H., Nakajima, M., Yamato, S. and Shimada, K.
Determination of idebenone in rat serum and brain by high-performance liquid chromatography using platinum catalyst reduction and electrochemical detection 573(1992)154
Weber, B., see Barberi-Heyob, M. 573(1992)247
Welinder, B. S., see Vidal, P. 573(1992)201
Wichmann, J. K., see Clark, L. A. 573(1992)113
Woodard, D., see Matassa, L. C. 573(1992)43
Yamato, S., see Wakabayashi, H. 573(1992)154
Yap, B. K., Johnston, G. A. R. and Kazlauskas, R.
Routine screening and quantitation of urinary corticosteroids using bench-top gas chromatography–mass-selective detection 573(1992)183
Yarwood, C., see Janero, D. R. 573(1992)207
Yoshida, K., see Noguchi, H. 573(1992)336